




Group  
Vaginal  
Placenta



- Gymnopus menehune
- Penicillium chrysogenum
- Gibberella intricans
- Cercospora canescens
- Cladosporium aciculare
- Curvularia sorghina
- Stereum sanguinolentum
- Ganoderma cupreum
- Candida tropicalis
- Pseudochaete corrugata
- Auricularia scissa
- Zymoseptoria halophila
- Gibberella zeae
- Schizophyllum commune
- Lycoperdon pratense
- Fusarium langsethiae
- Alternaria tenuissima
- Exidia glandulosa
- Ophiocordyceps sinensis
- Cryptococcus neoformans
- Cladosporium oxysporum
- Cyberindnra jadinii
- Candida etchellsii
- Curvularia heteropogonis
- Nigrospora oryzae
- Clitocybe metachroa
- Candida parapsilosis
- Phlebia subserialis
- Sistotrema sernanderi
- Trametes versicolor
- Trichaptum biforme
- Mycena clavicularis
- Peniophora lycii
- Alternaria infectoria
- Phanerochaete stereoides
- Aspergillus tubingensis
- Dichomitus squalens
- Trametes cubensis
- Ramularia stellenboschensis
- Skeletocutis nivea
- Merulius tremellosus
- Phaeoramularia weigelicola
- Toxicocladosporium rubrigenum
- Candida tanzawaensis
- Hyphodontia microspora
- Podoscypha bolleana
- Penicillium monsgalena
- Alternaria longissima
- Pleurotus ostreatus
- Psathyrella candolleana
- Skeletocutis diluta
- Penicillium commune
- Candida albicans
- Candida sake
- Physisporinus vitreus
- Penicillium digitatum
- Curvularia lunata
- Pseudocercospora bakeri
- Malassezia globosa
- Exidia nucleata
- Malassezia restricta
- Erythromyces crocicreas\_nov\_93.438%
- Anthostomella proteae\_nov\_89.112%
- Neodevriesia lagerstroemiae\_nov\_95.706%
- Mycosphaerella pseudovespa\_nov\_96.894%
- Phlebiopsis flavidoalba\_nov\_94.221%
- Fellomyces penicillatus\_nov\_87.568%
- Cryptococcus victoriae\_nov\_94.833%
- Engyodontium album\_nov\_96.746%
- Marasmiellus violaceogriseus\_nov\_86.486%
- Coniothyrium dolichi\_nov\_95.044%
- Moniliophthora canescens\_nov\_90.446%
- Hyphodontia tropica\_nov\_98.802%
- Phaeophlebiopsis peniophoroides\_nov\_94.236%
- Hypoxylon notatum\_nov\_89.106%
- Elmerina caryae\_nov\_92.287%
- Trichaptum biforme\_nov\_86.650%
- Aurantiosacculus acutatus\_nov\_92.023%
- Sistotrema coroniferum\_nov\_92.435%
- Malassezia caprae\_nov\_85.880%
- Bullera pseudoalba\_nov\_91.270%
- Curvularia inaequalis\_nov\_97.167%
- Cryptococcus podzolicus\_nov\_87.675%
- Pseudocercospora fraxini\_nov\_93.578%
- Pseudoplagiostoma corymbiae\_nov\_86.234%
- Phomatopora striatigera\_nov\_90.449%
- Rickenella fibula\_nov\_97.990%
- Septoria arundinacea\_nov\_94.752%
- Vibrissea truncorum\_nov\_91.875%
- Pilatoporus bondartsevae\_nov\_94.949%
- Erythromyces crocicreas\_nov\_92.950%
- Malassezia globosa\_nov\_97.505%
- Coprinellus radians\_nov\_96.701%
- Latorua caligans\_nov\_94.236%
- Coniothyrium dolichi\_nov\_91.066%
- Clitocybe phyllophila\_nov\_83.215%
- Monographella cucumerina\_nov\_97.479%
- Pseudocercospora chamaecristae\_nov\_92.836%
- Cladosporium grevilleae\_oxysporum
- multigenus multispecies\_sppn1\_2\_nov\_94.925%

Species

Samples